		Shutter Reference Chart	
Material		Fauxwood	
Shutter Range		Fauxwood Eco Air™ eco	
Sening redures		Rigid Hollow Blade New Innovation Advanced Waterproof PVC Polymer Suitable For Wet Area's Dual Closure Blade Operation Available as hinged with framing only	
	mate		
Material		Advanced Waterproof PVC Polymer With PVC Blade	
	Advant	ages	
Fire Retardant		$\checkmark$	
Fire ketardant			
Termite Proof		✓ 	
Insulative Properties Keeps Homes Both Cooler In Summer & Warmer In Winter		$\checkmark$	
Reeps Homes Both Cooler in summer & Warmer in Winter		✓	
High Tensile Coatings Will Not Crack Or Peel		✓	
Colour	Finish	Colour Options	
Super White		$\checkmark$	
Snow White	Painted	$\checkmark$	
	Blade T	ypes	
Blade Shape		Hollow Elliptical	
Size		Blade Sizes	
63mm			
89mm		✓	
114mm			
Tiltrod 1		ypes	
Centre Hidden		$\checkmark$	
Off-Set			
Rack & Pinion			
	Panel He	ights	
Minimum Panel Height		260mm	
Maximum Panel Height Midrail Required Over		2600mm 1500mm	
Midrail Required Over	Panel W		
Minimum Panel Width	ranetw	180mm	
Maximum Panel Width		900mm	
	n Panel Widths -	By Mounting Method	
Maximum Panel Widths - By Mounting Method	Rail Profiles &	Please Refer Next Page	
Kail Profiles & Top & Bottom Rail/Midrail		Hinge Sizes Hollow - Dual Closure	
Hinge Size		Standard 77mm	
	Special Option	ns Available	
Shaped Shutters		×	
Door Cutouts		×	
Bay Windows		×	
Corner Windows		×	
Fluffy Strip Stile		× × ×	
Pivot Hinged Panels		× *	
Lockable		*	
Motorised Option		×	
Suitable For Wet Areas		$\checkmark$	
Notes:		Larger Panels may sometimes require lifting in to the frame.	

<b>PACIFIC</b> Shutter Mounting Methods Reference Chart		
Options		Hinged Panels
Recommended Applications For Use		Windows
Recess Fit (IN)		$\checkmark$
Face Fit (OUT)		✓
Width	Product	Panel Widths
Minimum Panel Width	Fauxwood Eco Air	180mm
Maximum Panel Width		900mm
Maximum Panel Width - Combo Panels		N/A
Minimum Panel Height		Panel Heights 260mm
Maximum Panel Height	Fauxwood Eco Air	2600mm
		Framing Options
Small L Frame Air (IN)		×
Small Face Fit L Frames (OUT)		×
Medium L Frame (IN)		×
Medium Face Fit L Frame - Solid (OUT)	Fauxwood Eco Air	$\checkmark$
Bullnose Z Frame Air (IN)		$\checkmark$
T Post (Hinging Extra Panels)		✓
Top & Bottom U Channels		×
Left & Right Light Stops		×
		Layout Code Examples
Layout Code Example <sup>1</sup>		L-DR LTL-DRTR RTRTR
Notes:		<sup>1</sup> D-Mould Stiles must be used when 2 or more panels are ordered within the same opening and close against each other.